

L Number	Hits	Search Text	DB	Time stamp
1	2848	(717/140-145,158; 712/227,239,240;711/138;710/22; 713/502).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 16:59
-	19473811	@ad<=20000830 or @rlad<=20000830	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 13:09
-	1013	(cach\$7 same (compil\$4 or translat\$4)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 16:36
-	405	(cache near4 circuitry) and (cache near5 level\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 17:02
-	15	(mark\$1 or tag\$1 or select\$4 or determin\$5) near5 (cacheable adj4 (portion\$1 or segment\$1 or instruction\$1 or code or program))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 16:39 ✓
-	56	mark\$5 same ((direct\$4 or stor\$4 or send\$4 or put\$4) near5 ((first or second) adj3 cache))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/07 12:27
-	59	4885680.URPN.	USPAT	2003/04/05 16:45
-	526	(cache near5 manag\$6) and (compil\$6 near6 (program or code or develop\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 16:50
-	111	((two near3 level\$1) near5 cache) and ((mark\$4 or select\$4 or determin\$5) same (cacheability or cacheable))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 16:52
-	2346	(during near4 (compil\$6 or execution)) and ((determin\$4 or select\$4) near5 cache\$8)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/07 13:05
-	22	((during near4 (compil\$6 or execution)) and ((determin\$4 or select\$4) near5 cache\$8)) and ((cache near5 manag\$6) and (compil\$6 near6 (program or code or develop\$6)))) and (compil\$6 and (cacheability or cacheable))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 17:00 ✓
-	18	((during near4 (compil\$6 or execution)) and ((determin\$4 or select\$4) near5 cache\$8)) and ((cache near5 manag\$6) and (compil\$6 near6 (program or code or develop\$6)))) and (compil\$6 and (cacheability or cacheable))) and (@ad<=20000830 or @rlad<=20000830)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 17:01 ✓
-	18992	(cache same ((circuitry or bus) or (object adj3 code)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/07 12:23
-	58	((cacheability near5 determin\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 10:16

-	8759	cache near4 (circuitry or bus)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/07 12:23
-	80	((mark\$4 near6 code) same (cache\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/07 12:26
-	56	mark\$5 same ((direct\$4 or stor\$4 or send\$4 or put\$4) near5 ((first or second) adj3 cache))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/07 12:28
-	2346	(during near4 (compil\$6 or execution)) and ((determin\$4 or select\$4) near5 cache\$8)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/07 13:06
-	3	((bus or cache or memory) adj2 (interface or control or manag\$7)) same ((cache\$6 near4 determin\$4) near3 execution)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/07 15:19
-	199	(profiling or marking or ((compil\$4 near3 time) near5 determin\$6)) same (((load\$4 or send\$4 or fetch\$4 or stor\$4) near3 cache) or cacheability)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/07 15:18
-	212	(bus adj2 interface) and ((cache\$6 near7 determin\$4) same (execution or compilation))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/07 15:21
-	3113	(instrument\$6 or profil\$4 or (code near3 mark\$4)) and ((cacheability near4 determin\$4) or (cache near8 (stor\$4 or writ\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/07 16:26
-	2810	((instrument\$6 or profil\$4 or (code near3 mark\$4)) and ((cacheability near4 determin\$4) or (cache near8 (stor\$4 or writ\$4)))) and ((cache near8 (stor\$4 or writ\$4)) and (profil\$4 or instrument\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/07 16:29
-	215	(instructions near3 cache) same ((execution or compilation) adj3 time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/07 16:34
-	146	((cache\$5 adj2 bit) near8 (instruction\$1)) and (((instrument\$5 or profil\$4) near7 (intermediate adj2 code)) or (cacheab\$5 or (write adj2 (back or through))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 14:48
-	26	((associative or (two near2 level)) near3 cache\$1) and (write adj2 (back or through)) and (profil\$5 and compiler)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 10:09
-	16	((associative or (two near2 level)) near3 cache\$1) and (write adj2 (back or through)) and (compiler and instrument\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 10:10
-	58	((cacheability near5 determin\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 10:16

-	4	((mark\$4 or tag\$4 or instrument\$5) near4 (instruction\$1 or code)) same cache\$6) and ((intermediate adj code) and compil\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 10:22	✓
-	65	(cache near4 (conflict\$1 or miss\$2)) and ((profil\$4 or instrument\$5) same ((intermediate adj code) or compilation))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 10:27	
-	24	((reduc\$5 or minimi\$5) near4 (cache near3 thrash\$4)).ab.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 14:53	✓
-	21	((reduc\$5 or minimi\$5) near4 (cache near3 thrash\$4)).ab.) and (@ad<=20000830 or @rlad<=20000830)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 11:09	✓
-	2	((cache near4 (conflict\$1 or miss\$2)) and ((profil\$4 or instrument\$5) same ((intermediate adj code) or compilation))) or (((reduc\$5 or minimi\$5) near4 (cache near3 thrash\$4)).ab.) and (@ad<=20000830 or @rlad<=20000830)) or (((mark\$4 or tag\$4 or instrument\$5) near4 (instruction\$1 or code)) same cache\$6) and ((intermediate adj code) and compil\$6))) and ((((cache\$5 adj2 bit) near8 (instruction\$1)) and ((instrument\$5 or profil\$4) near7 (intermediate adj2 code)) or (cacheab\$5 or (write adj2 (back or through)))) or (((associative or (two near2 level)) near3 cache\$1) and (write adj2 (back or through)) and ((intermediate adj code) and compiler)) or (((associative or (two near2 level)) near3 cache\$1) and (write adj2 (back or through)) and (profil\$5 and compiler)) or (((associative or (two near2 level)) near3 cache\$1) and (write adj2 (back or through)) and (compiler and instrument\$4))) or (((cacheability near5 determin\$6))))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 14:52	✓
-	114	(cacheab\$5 and non-cacheab\$5) and (profil\$4 or instrument\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 12:18	}
-	190	((reduc\$5 or minimi\$5) near4 (cache near3 thrash\$4)) or (cache\$6 and non-cache\$6)) and (profil\$4 or instrument\$6)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 12:16	
-	20	((profil\$5 or instrument\$6) same compil\$7) and (cacheab\$6 or (cache adj3 thrash\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 16:57	
-	18	((profil\$5 or instrument\$6) same compil\$7) and (cacheab\$6 or (cache adj3 thrash\$5))) and (@ad<=20000830 or @rlad<=20000830)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 13:09	✓
-	80	((reduc\$5 or minimi\$5) near4 (cache near3 thrash\$4))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 14:53	

-	6	((profil\$5 or instrument\$6) and recompile\$7) and (cacheable and non-cacheable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/08 15:00 ✓
---	---	--	---	--------------------